



**Chicago
Contractor's
Supply**

Naperville IL. (630) 615 - 2170
Bellwood IL. (708) 547- 5170
Huntley IL. (847) 669 - 1188
Frankfort IL. (815) 900 - 2411
Merrillville IN. (219) 750 - 9271
Pewaukee WI (262) 691 - 3300



CCS offers a complete line of Safety Products and Personal Protective Equipment to keep the workplace safe

- Trash Chute, Debris & Dust Management Solutions
- Fall Protection Programs & Solutions
- Safety Apparel & Imprinting Program
- Eye & Face Protection Solutions
- Head, Hand, & Ear Protection
- Emergency & Extreme Weather Supplies
- Safety Tools & Equipment
- ADA Detectable Warning Solutions
- Safety Supplies
- Traffic Control & Protection
- Hepa Air Scrubbers



Fall Protection Program & Solutions

CCS offers a complete line of Fall Protection Products and is ready to partner up with our customers to help keep the worksites safe for all employees! CCS has partnered with SureWerx and stocks the PEAKWORKS Fall Protection product lines.

Full Body Harnesses

- Certified to both ANSI 2359.11 and CSA2259.10 Standards
- Meets or exceeds all applicable OSHA standards
- Sub-pelvic straps for added comfort and support
- Fall indicators for easier inspection before use.
- Polyester webbing



PeakPro Plus Series



PeakPro Series



Contractor Series

Compliance



Contractor



PeakPro



Tool Tether System



Compliance Series



Welding Harness



Full Body Harness/Belt



Peakworks Round Clamp



Peakworks Flat Clamp



Peakworks Press Block

Shock Absorbing Lanyards

Certified to ANSI Z359.13 standards



V0102506 Welder's Shock Absorbing Lanyard



V8109526 Welder's Shock Absorbing Lanyard



Shock Absorbing Lanyards



Form Hook
2 1/2" (64 mm)
Gate Opening



Snap Hook
3/4" (19 mm)
Gate Opening



Restraint Lanyard with 1" (25 mm) Webbing



Rebar Chain Assembly



Restraint Lanyard with 5/8" (16 mm) Rope

Self Retracting Lifelines (SRL'S)

- Certified ANSI 2359.14 & CSAZ259.2.1 Standards
- Made in Germany to exacting specification using light weight aluminum or high strength plastic housing for operator comfort.
- **Recertification and repair service are performed locally in Illinois by the manufacturer cutting down lengthy repair times!**
- Most SRL units have Leading Edge (LE) Certification allowing broader range of application use.
- Available in lengths from 6 to 170 feet
- Available in single and double leg versions



Tie Back Leading Edge SRL Class A

- Tie-Back style features an all-in-one SRL and anchorage connector
- Fall distance clearance is 2' or less
- 5,000 lbs snap hooks designed for Tie-Back applications
- Lifeline is made with Dyneema material for the strongest fiber available
- 310 lbs capacity (combined weight of person, tools, clothing, etc.)
- Certified to the ANSI Z359.14 and CSA Z259.2.2 and Meets the latest OSHA regulations



5LE Dual Self-Retracting Device LE

- Leading edge ready and fully serviceable
- Special compact ladder hook provides lightweight design (6.2 lbs)
- Class A rating – fall distance is less than 2'
- Constructed with durable aluminum housing
- Made with hi visibility maximum strength Dyneema webbing
- Tested and approved for foot level tie off
- Approved for use in vertical and horizontal applications
- Certified to ANSI Z359.14-2014 and CSA Z259.2.2 standards
- 310 lbs capacity (combined weight of person, tools, clothing, etc.)


Anchorage Connectors

All anchors meet or exceed CSAZ259.15 and ANSI 2359.18 Standards and OSHA requirements



DETECTABLE WARNING SURFACES

In stock colors





DAX FULL BRIM HARD HAT

DAX CARBON FIBER

DAX CARBON FIBER CAP

Hard Hats



DAX CAP

BRIGGS SHORT BRIM - VENTED

BRIGGS SHORT BRIM - NON VENTED

Safety Glasses



DEWALT DPG103 Rotex®
Safety Glass



DEWALT DPG104
Excavator™ Safety Glass



DEWALT DPG51 Radius™
Safety Glass



DEWALT DPG52 Contractor
Pro™ Safety Glass

Debris Chute Systems

- Made With Polyethylene & Rotation Molded To Provide Extra Durability.
- Performs Under All Temperature Conditions
- Made in the U.S.A.
- Available for Purchase or Rent

Metal Components

Basic Support Frame
Window /Parapet Outrigger
Flat Roof Outrigger
Scaffold Outrigger
Flat Roof Safety Frame



PVC Components

Trash Chute w/Chain
Intake Hopper
Intermediate Hopper
Trash Chute Reinforced Liner
Retaining Bar w/Safety Flap



Radians RWG530 AXIS™
Cut Protection Level A2
Work Glove



Radians RWG3111 Economy
Shoulder Gray Split Leather
Glove



Radians RWG10 Radwear®
Silver Series™ High Visibility
Knit Dip Glove

Cut Protection Gloves



Radians RWG534 AXIS™
Cut Protection Level A2
Micro Sandy Foam Nitrile
Coated Glove



Radians RWG13 Foam
Nitrile Gripper Glove



Debris Netting

- High Strength Polyethylene Mesh (HDPE)
- Tear Resistant
- Reinforced Edges
- UV Treated for sunlight exposure
- Flame Retardant meets NFPA 701 Test Method 2



Perimeter Cable Railing System

- 3/8" Galvanized Aircraft Steel Wire Rope
- 3/8" Heavy Duty Wire Rope Thimble
- 3/8" Drop Forged Wire Rope Clip
- Coil Thread Drop-In Anchor
- Coil Thread Eye Bolt
- Turnbuckles




Netting Accessories

- Cable Ties
- 3" Round Baseplates with 1/4" hole
- Netting Clips
- Fasteners



Heavy Duty Debris Nets

- Meets OSHA Regulations For Debris Containment
- Protects Pedestrians & Workers Below
- Extra UV Inhibitors for Added Life Expectations
- Bridge Maintenance & Construction Netting
- Meets ANSI A10.37 For Debris Containment
- Custom Made For Size, Load, & Jobsite Conditions





Privacy Fence Screens

- High Strength Knitted Polyethylene Mesh (HDPE)
- 90% Mesh Shade Cloth
- Rolls With Button Holes or Folded Panels With Grommets & Webbing
- UV Treated
- Provides Visual Barrier for Privacy
- Contains Dirt, Dust & Debris On The Jobsite
- Serves As A Windscreen
- Tear Resistant And Will Not Unravel When Cut
- Multiple Sizes & Colors Available
- Custom Logos & Banners Are Available.



Phoenix Guardian HEPA Air Scrubber

